Leak Adjustment Policy

Christian Valley Park, CSD September 13, 2016

Written Request Required

A written request for review and adjustment must be received by the district for the current billing period within 30 days of the billing date. Leaks for prior quarters will not be allowed.

Criteria:

- 1. A water leak adjustment request shall not be considered by the board unless the usage is over 2 times the average usage for the last 3 years of the same quarter or whatever data is available.
- 2. Water Leaks shall be repaired and receipts of the repair shall be available for the district to review.
- 3. Customers may not receive more than one leak adjustment every 3 years on the same property or residence.
- 4. The policy does not apply to new landscaping irrigation, pool or spa filling or other similar uses of water.
- 5. The credit may not exceed \$400

Calculation:

The credit for the water leak is calculated by subtracting the average usage from the current water usage and then the balance of the water usage is shared equally between the customer and the district at the current water usage rate.

| EXAMPLE | |
|---------------------------|--------------|
| Total Bill | <i>\$700</i> |
| Same Period Average Bill | \$300 |
| Difference | \$400 |
| Amount of Customer Credit | \$200 |

Adoption: The Board approved and adopted the Leak Adjustment Policy on September 13, 2016.

Leak Adjustment Request

Christian Valley Park, CSD

| Today's Date: | |
|--|----------------------------------|
| Customer's Name: | |
| Service Address: | |
| Account Number: | |
| Phone Number: | |
| Email Address (if available): | |
| Date when the leak was found: | |
| Date of the leak repair (attach all recei | pts): |
| Provide a description of the type of lea | ak and the location of the leak. |
| | |
| | |
| | |
| | |
| I understand that all documents must will be reviewed and that an inspectio further acknowledge that the board had any and all requests. | n of repairs may be requested. I |
| Customer Signature | Date |