Ongoing List of Priorities (Working Document)

					Director Importance Assigned 1-4 (Highest = 1)					
Rank Order	Item	Status	For Next Month's Agenda	Target Completion or Next Milestone	Dan	Diane	Greg	Jo Anne	Reed	Sorting Sum Score
1	Stanley / Barbara area physical speed inhibitor(s)	Consider purchasing speed monitoring devices in district. Explore possible governmental **alternatives -- letter to CHP and Sherrif requesting patrol commitments. Will re-**	Yes	November 2026	1	1	1	1	1	5
2	Plant/Tank Road Realignment	Next steps: tree removal, discuss easement formalization strategies including legal discussions - awaiting feedback from attorney. Realignment negotiations with one of the neighbors being considered. Prescriptive easement information.	Yes	November 2026	2	2	2	2	2	10
3	Ross to William Court Main Line Threat Assessment	Trace path of line and identify above-ground threats to the pipe, including trees - rough visual looks minimally threatening, consider pipe tracing technology for more precision - additional ideas on pipe detection to be considered. Subsurface ground penetrating radar contractor being considered (and for additional areas in the distribution system).	Yes	November 2026	2	2	2	2	2	10

Ongoing List of Priorities (Working Document)

					Director Importance Assigned 1-4 (Highest = 1)					
Rank Order	Item	Status	For Next Month's Agenda	Target Completion or Next Milestone	Dan	Diane	Greg	Jo Anne	Reed	Sorting Sum Score
4	Disposition of surplus district parcels.	Survey in preparation of sale to neighbor. Trail easement disposition.		November 2026	2	2	2	2	2	10
5	FAP Grant from PCWA for 2027	Submit for 2027 when applications open (December - February): consider pipe location and condition assessment project		December 2026	3	3	3	3	3	15
6	FAAST Grants/EPA	Apply to appropriate grants as they become visible. Ongoing.			3	3	3	3	3	15
7	Water Pipeline Condition Assessment	Awaiting grant money, Contemplating having Gerry identify			3	3	3	3	3	15
8	PCWA Consolidation Option – the Board may seek to have the residents vote on consolidating with PCWA.	Awaiting response from PCWA			3	3	3	3	3	15
9	Website Updates – TODO: Outlining, reorganizing ongoing.	Ongoing In progress.			3	3	3	3	3	15
10	Distribution System Replacement - 10-inch Between Tanks and Gregg Way	Discuss estimate received from Hydros (Gerry) and possible approaches -- data point at this time = $1M, 2026			4	4	4	4	4	20